

ASTM A795 Standardına göre Düz Dikişli (ERW) Çelik Boru Ölçü, Ağırlık ve Basınç Tablosu

ERW Steel Tubes Dimensions, Weight and Min. Test Pressure Table acc. ASTM A795 Standard

Ebat Size			Sch No	Et Kalınlığı (mm) wall Thickness (mm)	Ağırlık (kg/m) Weight (kg/m)	Test Basıncı (Bar) Test Pressure (Bar)
DN	NPS	Dış Çap (mm) O.D. (mm)				
15	1/2"	21,3	40	2,77	1,27	48
20	3/4"	26,7	10	2,11	1,28	48
			40	2,87	1,69	48
25	1"	33,4	10	2,77	2,09	48
			40	3,38	2,50	48
32	1 1/4"	42,2	10	2,77	2,69	69
			40	3,56	3,39	69
40	1 1/2"	48,3	10	2,77	3,11	69
			40	3,68	4,05	69
50	2"	60,3	10	2,77	3,93	69
			40	3,91	5,45	69
65	2 1/2"	73,0	10	3,05	5,26	69
			40	5,16	8,64	69
80	3"	88,9	10	3,05	6,46	69
			40	5,49	11,29	69
90	3 1/2"	101,6	10	3,05	7,41	83
			40	5,74	13,58	83
100	4"	114,3	10	3,05	8,37	83
			40	6,02	16,09	83
125	5"	141,3	10	3,40	11,58	83
			40	6,55	21,79	83
150	6"	168,3	10	3,40	13,85	69
			40	7,11	28,29	83
200	8"	219,1	10	4,78	25,26	55
			30	7,04	36,82	83
250	10"	273,0	10	4,78	31,62	48
			30	7,80	51,05	69